KRIVALIS™

LABORATORY EQUIPMENT CATALOGUE

General Laboratory Equipment

Microscopes, balances, centrifuges, stirrers and everyday instruments for research, teaching and QC.

2026-27 EDITION | KRIVA LAB INSTRUMENTS

100+	120+	98%
CLIENTS	COUNTRIES	SATISFACTION

General laboratory equipment selected for reliability in daily use, with spares and service support across India. - 41 catalogue items, 1 platforms.

Who we are

Krivalis - a division of Kriva Medical & Lab Instruments, Mumbai - supplies laboratory, analytical and process equipment to universities, research institutes, chemical, pharmaceutical, oil & gas and manufacturing companies in more than 120 countries.

General laboratory equipment for research, teaching and quality control: biological and metallurgical microscopes, electronic balances, pH testers, magnetic stirrers, hotplates, centrifuges, homogenisers, water baths and basic glassware support. Selected for reliability in daily laboratory use, with spare parts and service available across India.

This catalogue covers the Laboratory Equipment portfolio: 41 catalogue items, each with its technical specification, typical applications and the information our engineers need to configure a system for your process.

WHY CHOOSE KRIVALIS

QC covered
Stringent quality control at every stage, from fabrication to factory acceptance testing.
Application-first
Pressure, temperature, chemistry, volume and utilities are reviewed before anything is quoted.
Global reach
Serving customers in 120+ countries through a dealer and logistics network.
Innovation-driven
Continuous development of reactor, furnace and flow platforms.

CERTIFICATIONS & ACCREDITATIONS

ATEX / IECEx certification | ASME design | CE / U-stamp marking | FDA registered equipment | GMP compliant - pharma

TRUSTED BY RESEARCH AND INDUSTRY

NASA | BITS Pilani | IIT Jodhpur | TIFR | SABIC | Halliburton

TALK TO A SPECIALIST

Every system is factory-tested, and configurations are customised without compromising safety. Send your application, operating pressure and temperature, volume and utilities to sales@krivalis.com, or call +91-74000-43303, and our engineering team will respond with a technical proposal.

Catalog index

Capacity, pressure and temperature ranges as published on www.krivalis.com. Use the reference code (for example KR-203) when requesting a quotation.

LABORATORY EQUIPMENT

KR-203	Automatic Electronic Analytical Balance (BA-C...	60g, 100g, 120g, 160g,...	-	5
KR-204	Electronic Precision Balance (BP-B/P Series)	100g, 120g, 200g, 300g,...	-	6
KR-205	Electronic Balance (BE-G/N Series)	100g to 15kg (various...	-	7
KR-206	Laboratory Biological Microscope (BM-B100 Series)	-	-	8
KR-207	Binocular Biological Microscope (BM-Z102 Series)	-	-	9
KR-208	Inverted Biological Microscope (BMI-100 Series)	-	-	10
KR-209	Fluorescence Biological Microscope (BFM-31)	-	-	11
KR-210	Metallurgical Microscope (XJD-100/200 Series)	-	-	12
KR-211	Stereo Zoom Microscope (SZM-45 Series)	-	-	13
KR-212	Pocket pH Tester (PH-P02 Series)	-	-	14
KR-213	Portable pH Meter (PH-P10 Series)	-	-	15
KR-214	Portable Conductivity/TDS/Salinity Meter...	-	-	16
KR-215	Benchtop pH/ORP/Ion Meter (PH-930 Series)	-	-	17
KR-216	Portable Dissolved Oxygen Meter (PH-820/821...	-	-	18
KR-217	Micro-Volume UV/VIS Spectrophotometer (BK-CW500P)	-	-	19
KR-218	UV/VIS Spectrophotometer (BK-UV1800 Series)	-	-	20
KR-219	Scanning UV/VIS Spectrophotometer (BK-S380 Series)	-	-	21
KR-220	Fluorescence Spectrophotometer (BK-F96PRO)	-	-	22
KR-221	Atomic Absorption Spectrophotometer (BK-AA3618...	-	-	23
KR-222	Decolorization Shaker (SK-O900L Series)	-	-	24
KR-223	Orbital Shaker (BK-YC30 Series)	250ml×24 (standard)	-	25
KR-224	3D and Rocking Shaker (SK-D3309-Pro / SK-R330-Pro)	-	-	26
KR-225	Vortex Mixer (BJPX-VW Series)	-	-	27
KR-226	Multi-Tube Vortex Mixer	-	-	28
KR-227	Hotplate Magnetic Stirrer (BK-MS400 Series)	-	-	29
KR-228	Magnetic Stirrer (BK-ST20L Series)	-	-	30
KR-229	Overhead Stirrer (OS40-S Series)	-	-	31
KR-230	Thermostatic Water Bath (BK-W2/W4/W6 Series)	5L, 10L, 20L	-	32
KR-231	Magnetic Stirring Water Bath (MSW-101S)	-	-	33
KR-232	Thermostatic Shaking Water Bath (SHZ-A10 Series)	490×390×170mm	-	34
KR-233	Graphite Digester (GDA-10A/20A Series)	10 or 20 positions	-	35
KR-234	Semi-Automatic Kjeldahl Nitrogen Analyzer (AKN-01...	-	-	36
KR-235	Fat Extractor (BKXET Series)	2, 4, or 6 positions	-	37
KR-236	Fat Analyzer (SFA-06S Series)	6 positions/batch	-	38
KR-237	Automatic Fiber Analyzer (BK-F5800)	-	-	39
KR-238	Hot Air Sterilizer (BJPX-SH Series)	23L, 55L, 88L, 105L,...	-	40

KR-239	Muffle Furnace (MC Series)	2L, 7L, 16L	-	**41**
KR-240	Vacuum Atmosphere Furnace (MXV7-11TP)	7.2L	-	**42**
KR-241	Ultrasonic Cleaner (UC-VAD Series)	6.5L to 30L	-	**43**
KR-242	Homogenizer (BFH-01/02 Series)	3-400ml	-	**44**
KR-243	Dehumidifier (BKDH-820E/830E Series)	20L/24H or 30L/24H	-	**45**

Specifications are typical and can be customised to your process. Price and lead time on request.

LABORATORY EQUIPMENT REF KR-203

Automatic Electronic Analytical Balance (BA-C Series)

Automatic Electronic Analytical Balance (BA-C Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Capacity	60g, 100g, 120g, 160g, 200g, 220g
Readability	0.1mg
Repeatability	0.2-0.3mg
Stable Time	4-8s
Calibration	Internal
Display	Large LCD
Pan Diameter	?90mm
Work Space Height	240mm

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-203 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-204

Electronic Precision Balance (BP-B/P Series)

Electronic Precision Balance (BP-B/P Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Capacity	100g, 120g, 200g, 300g, 410g, 500g, 1000g
Readability	1mg
Repeatability	1-2mg
Stable Time	1s
Calibration	External
Pan Diameter	?90mm or ?110mm

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-204 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-205

Electronic Balance (BE-G/N Series)

Electronic Balance (BE-G/N Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Capacity	100g to 15kg (various models)
Readability	0.01g to 1g
Pan Size	?130mm, ?160mm, or 200×200mm
Calibration	External (sensor window)
Power	AC220V or AA batteries
Features	Taring, counting, percentage, unit conversion

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-205 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-206

Laboratory Biological Microscope (BM-B100 Series)

Laboratory Biological Microscope (BM-B100 Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Eyepiece	WF10X (WF16X optional)
Viewing Head	Monocular, binocular, or trinocular
Objectives	4X, 10X, 40X(S), 100X(S, oil)
Nosepiece	Triple or quadruple
Stage	Double-layer mechanical, 110×115mm
Condenser	Abbe NA1.25 with iris diaphragm
Illumination	LED

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-206 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-207

Binocular Biological Microscope (BM-Z102 Series)

Binocular Biological Microscope (BM-Z102 Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Eyepiece	WF10X (WF16X optional)
Viewing Head	Binocular, 30° inclined
Objectives	4X, 10X, 40X(S), 100X(S, oil)
Stage	Double-layer mechanical, 132×140mm, movement 75×45mm
Condenser	Abbe NA1.25
Illumination	LED (halogen optional)

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-207 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-208

Inverted Biological Microscope (BMI-100 Series)

Inverted Biological Microscope (BMI-100 Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Optical System	Infinite
Viewing Head	Trinocular, 30° inclined
Eyepiece	EW10X/22mm
Objectives	4X/0.1, 10X/0.25, 20X/0.4, 40X/0.6 (LWD)
Phase Objectives	PH10X, PH20X, PH40X
Stage	Plain stage 160×250mm with glass insert
Condenser	ELWD NA0.3, LWD 72mm

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-208 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-209

Fluorescence Biological Microscope (BFM-31)

Fluorescence Biological Microscope (BFM-31) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Eyepiece	WF10X/22mm
Viewing Head	Trinocular, 30° inclined
Objectives	Infinite plan achromatic 4X, 10X, 40X, 100X
Fluorescence	B (460-490nm), G (510-550nm), UV (330-380nm)
Stage	Double-layer, 210×140mm, movement 76×50mm
Condenser	Abbe NA1.25
Illumination	White LED

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-209 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-210

Metallurgical Microscope (XJD-100/200 Series)

Metallurgical Microscope (XJD-100/200 Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Viewing Head	Binocular or trinocular, 45° tilt
Eyepiece	WF10X
Objectives	Achromatic 4X, 10X, 40X, 100X or LWD plan achromatic
Stage	Double-layer mechanical, 180×150mm or 140×135mm
Illumination	Halogen 6V/20W or LED
Polarized Light	Available

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-210 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-211

Stereo Zoom Microscope (SZM-45 Series)

Stereo Zoom Microscope (SZM-45 Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Viewing Head	Binocular or trinocular, 45° tilt
Eyepiece	WF10X
Zoom Objective	0.7X-4.5X, 6.4:1 ratio
Working Distance	100mm
Interpupillary Distance	54-76mm
Illumination	LED (top and bottom)

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-211 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-212

Pocket pH Tester (PH-P02 Series)

Pocket pH Tester (PH-P02 Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

pH Range	0-14 pH
Resolution	0.01 pH
Accuracy	±0.2 pH
Calibration Points	1-3 points
Temp Compensation	0-50°C automatic
Power	2×1.5V LR44 batteries
Dimensions	31×18×155mm

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-212 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-213

Portable pH Meter (PH-P10 Series)

Portable pH Meter (PH-P10 Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

pH Range	-2.000 to 20.000 pH
Resolution	0.01/0.1/0.001 pH
Accuracy	±0.002 pH
Calibration Points	1-3 points
Temp Compensation	Automatic 0.0-100.0°C
Data Storage	3000 groups
Display	3.5-inch color screen
IP Rating	IP57 (waterproof/dustproof)

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-213 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-214

Portable Conductivity/TDS/Salinity Meter (PH-520/530 Series)

Portable Conductivity/TDS/Salinity Meter (PH-520/530 Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Conductivity	Up to 200mS/cm (selectable cell constant)
Resistivity	0-100 M?-cm
TDS Range	0-100g/L
Salinity Range	0-100ppt
Calibration Points	1-5 points
Data Storage	500 sets
Power	Batteries, power adapter, or USB

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-214 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-215

Benchtop pH/ORP/Ion Meter (PH-930 Series)

Benchtop pH/ORP/Ion Meter (PH-930 Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

pH	1-5 point calibration, automatic buffer recognition
Ion Concentration	2-5 point calibration, 8 concentration points
Units	ppm, mg/L, mol/L, mmol/L
ORP	Relative and absolute mV modes
Data Storage	500 sets
Interfaces	USB, RS232

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-215 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-216

Portable Dissolved Oxygen Meter (PH-820/821 Series)

Portable Dissolved Oxygen Meter (PH-820/821 Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

DO Range	0-20.00 mg/L, 0-200.0 %
Resolution	0.01/0.1 mg/L
Accuracy	±0.30 mg/L
Calibration	1-2 points (air-saturated water or zero oxygen)
Salinity Compensation	0-45 ppt, manual
Barometric Compensation	0-200.0 kPa, automatic
Data Storage	500 sets

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-216 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-217

Micro-Volume UV/VIS Spectrophotometer (BK-CW500P)

Micro-Volume UV/VIS Spectrophotometer (BK-CW500P) delivers reliable analytical measurement for laboratory testing, quality control, research, and process development.

TECHNICAL SPECIFICATIONS

Pathlength	0.5mm
Sample Volume	0.5-2ul
Light Source	Pulsed xenon lamp
Wavelength Range	190-1000nm
Wavelength Precision	±1nm
Wavelength Resolution	0.5nm
Nucleic Acid Range	10-5000 ng/ul dsDNA
Protein Range	0.05-300 mg/ml BSA

APPLICATIONS

Chemical analysis - Quality control - Research - Environmental testing - Pharmaceutical testing

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic laboratories

TYPICAL USE CASES

Routine analysis - Method development - Sample testing - Quality assurance

ADVANTAGES

Digital control, data handling, and application-focused measurement versus basic instruments

ORDERING INFORMATION

Quote the reference KR-217 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-218

UV/VIS Spectrophotometer (BK-UV1800 Series)

UV/VIS Spectrophotometer (BK-UV1800 Series) delivers reliable analytical measurement for laboratory testing, quality control, research, and process development.

TECHNICAL SPECIFICATIONS

Optical System	Single beam, 1200 lines/mm grating
Wavelength Range	190-1100nm
Spectral Bandwidth	2nm
Wavelength Accuracy	±0.5nm
Photometric Accuracy	±0.002A (0-0.5Abs)
Stray Light	<=0.04%T
Display	480×272 TFT LCD
Outputs	USB-A, USB-B

APPLICATIONS

Chemical analysis - Quality control - Research - Environmental testing - Pharmaceutical testing

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic laboratories

TYPICAL USE CASES

Routine analysis - Method development - Sample testing - Quality assurance

ADVANTAGES

Digital control, data handling, and application-focused measurement versus basic instruments

ORDERING INFORMATION

Quote the reference KR-218 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-219

Scanning UV/VIS Spectrophotometer (BK-S380 Series)

Scanning UV/VIS Spectrophotometer (BK-S380 Series) delivers reliable analytical measurement for laboratory testing, quality control, research, and process development.

TECHNICAL SPECIFICATIONS

Optical System	Single beam, 1200 lines/mm grating
Wavelength Range	190-1100nm
Spectral Bandwidth	1nm
Wavelength Accuracy	±0.3nm
Photometric Accuracy	±0.002A (0-0.5Abs)
Stray Light	<=0.04%T
Display	7-inch TFT LCD (480×800)
Software	Scanning, kinetics, multi-wavelength, DNA/Protein

APPLICATIONS

Chemical analysis - Quality control - Research - Environmental testing - Pharmaceutical testing

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic laboratories

TYPICAL USE CASES

Routine analysis - Method development - Sample testing - Quality assurance

ADVANTAGES

Digital control, data handling, and application-focused measurement versus basic instruments

ORDERING INFORMATION

Quote the reference KR-219 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-220

Fluorescence Spectrophotometer (BK-F96PRO)

Fluorescence Spectrophotometer (BK-F96PRO) delivers reliable analytical measurement for laboratory testing, quality control, research, and process development.

TECHNICAL SPECIFICATIONS

Excitation Wavelength	365nm
Raman Peak S/N	>=150 (water)
Emission Scanning	10 stages
Operation Modes	Fluorescence intensity and luminous intensity
Support	Off-line and on-line modes

APPLICATIONS

Chemical analysis - Quality control - Research - Environmental testing - Pharmaceutical testing

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic laboratories

TYPICAL USE CASES

Routine analysis - Method development - Sample testing - Quality assurance

ADVANTAGES

Digital control, data handling, and application-focused measurement versus basic instruments

ORDERING INFORMATION

Quote the reference KR-220 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-221

Atomic Absorption Spectrophotometer (BK-AA3618 Series)

Atomic Absorption Spectrophotometer (BK-AA3618 Series) delivers reliable analytical measurement for laboratory testing, quality control, research, and process development.

TECHNICAL SPECIFICATIONS

Wavelength Range	170-900nm
Spectral Bandwidth	0.1, 0.2, 0.4, 1.6nm
Wavelength Accuracy	±0.1nm
Lamp Positions	8 (360° rotation)
Background Correction	Deuterium lamp
Detector	Photomultiplier tube
Software	Windows workstation

APPLICATIONS

Chemical analysis - Quality control - Research - Environmental testing - Pharmaceutical testing

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic laboratories

TYPICAL USE CASES

Routine analysis - Method development - Sample testing - Quality assurance

ADVANTAGES

Digital control, data handling, and application-focused measurement versus basic instruments

ORDERING INFORMATION

Quote the reference KR-221 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-222

Decolorization Shaker (SK-O900L Series)

Decolorization Shaker (SK-O900L Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Oscillation Mode	Linear reciprocating
Speed Range	30-240 rpm
Speed Accuracy	±1 rpm
Amplitude	30mm
Tray Size	240×230mm
Max Load	3kg
Motor	Brushless DC
Timing Range	0-99h60min

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-222 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-223

Orbital Shaker (BK-YC30 Series)

Orbital Shaker (BK-YC30 Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Oscillation Mode	Rotatory shaking
Speed Range	30-300 rpm
Speed Accuracy	±1 rpm
Amplitude	26mm
Tray Size	680×500mm
Capacity	250ml×24 (standard)
Motor	Brushless DC
Timing Range	1-999min

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-223 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-224

3D and Rocking Shaker (SK-D3309-Pro / SK-R330-Pro)

3D and Rocking Shaker (SK-D3309-Pro / SK-R330-Pro) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Oscillation Mode	3D orbital or see-saw rocking
Angle	9° fixed
Speed Range	10-70 rpm
Max Load	5kg (3D) or 10kg (rocking)
Display	LCD
Timing Range	1min-99h59min
Interfaces	RS232

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-224 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-225

Vortex Mixer (BJPX-VW Series)

Vortex Mixer (BJPX-VW Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Speed Range	200-3000 rpm
Speed Accuracy	±5 rpm
Amplitude	4mm
Oscillation Mode	Circular motion
Working Mode	Point vibration and continuous
Power	35W

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-225 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-226

Multi-Tube Vortex Mixer

Multi-Tube Vortex Mixer is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Display	LCD integrated
Speed	High accuracy
Mixing Mode	Fast switching
Design	Simple and aesthetic

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-226 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-227

Hotplate Magnetic Stirrer (BK-MS400 Series)

Hotplate Magnetic Stirrer (BK-MS400 Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Temp Range	RT-400°C
Stirring Speed	150-2000 rpm
Heating Power	650W
Plate Material	Aluminum with ceramic coating
Plate Size	165×165mm
Max Capacity	20L
Temp Sensor	PT1000 (external)
Display	LED

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-227 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-228

Magnetic Stirrer (BK-ST20L Series)

Magnetic Stirrer (BK-ST20L Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Motor Type	Brushless DC
Max Volume	20L
Speed Range	50-2000 rpm
Plate Size	262×200mm
Stirring Power	36W
Display	LED

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-228 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-229

Overhead Stirrer (OS40-S Series)

Overhead Stirrer (OS40-S Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Max Capacity	40L
Max Speed	2200 rpm
Max Torque	60 N-cm
Motor Input	120W
Motor Output	100W
Max Viscosity	50000 mPa-s
Chuck Diameter	0.5-10mm
Display	LED or LCD

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-229 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-230

Thermostatic Water Bath (BK-W2/W4/W6 Series)

Thermostatic Water Bath (BK-W2/W4/W6 Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Capacity	5L, 10L, 20L
Temp Range	RT-100°C
Temp Fluctuation	±0.5°C
Display	OLED
Chamber Material	Stainless steel
Timing	Yes
Power	600W, 1000W, 1500W

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-230 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-231

Magnetic Stirring Water Bath (MSW-101S)

Magnetic Stirring Water Bath (MSW-101S) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Temp Range	RT+5-100°C
Temp Precision	±1°C
Stirring Speed	0-2600 rpm
Stirring Capacity	50-2000ml
Heating Power	600W
Plate Size	?200×100mm

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-231 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-232

Thermostatic Shaking Water Bath (SHZ-A10 Series)

Thermostatic Shaking Water Bath (SHZ-A10 Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Shaking Amplitude	20mm
Shaking Method	Reciprocating
Speed Range	30-300 rpm
Temp Range	RT+5-100°C
Temp Precision	0.1°C
Chamber Size	490×390×170mm
Power	1500W

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-232 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-233

Graphite Digester (GDA-10A/20A Series)

Graphite Digester (GDA-10A/20A Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Capacity	10 or 20 positions
Temp Range	RT+5-450°C
Temp Accuracy	±1°C
Heating Mode	Infrared radiation aluminum conduction
Display	7-inch color LCD
Programs	200 groups, 25 segments each
Digestion Tubes	300ml glass

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-233 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-234

Semi-Automatic Kjeldahl Nitrogen Analyzer (AKN-01 Series)

Semi-Automatic Kjeldahl Nitrogen Analyzer (AKN-01 Series) delivers reliable analytical measurement for laboratory testing, quality control, research, and process development.

TECHNICAL SPECIFICATIONS

Measuring Range	0.1-240mg N
Recovery Rate	>=99.5%
Distillation Speed	3-6 min/sample
Distillation Time	0-60min
Repeatability	<=0.5%
Operating Mode	Automatic/manual dual modes
Display	7-inch LCD
Reagents	4 bottles with liquid level detection

APPLICATIONS

Chemical analysis - Quality control - Research - Environmental testing - Pharmaceutical testing

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic laboratories

TYPICAL USE CASES

Routine analysis - Method development - Sample testing - Quality assurance

ADVANTAGES

Digital control, data handling, and application-focused measurement versus basic instruments

ORDERING INFORMATION

Quote the reference KR-234 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-235

Fat Extractor (BKXET Series)

Fat Extractor (BKXET Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Capacity	2, 4, or 6 positions
Temp Range	RT-250°C
Heating Mode	Dry independent heating
Solvent Cup Volume	250ml
Display	7-inch LCD touch screen
Features	Solvent recovery, over-temperature protection

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-235 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-236

Fat Analyzer (SFA-06S Series)

Fat Analyzer (SFA-06S Series) delivers reliable analytical measurement for laboratory testing, quality control, research, and process development.

TECHNICAL SPECIFICATIONS

Capacity	6 positions/batch
Temp Range	RT+5-280°C
Temp Accuracy	±1°C
Measuring Range	0.1-100%
Solvent Cup Volume	80ml
Solvent Recovery	>=85%
Display	7-inch color LCD

APPLICATIONS

Chemical analysis - Quality control - Research - Environmental testing - Pharmaceutical testing

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic laboratories

TYPICAL USE CASES

Routine analysis - Method development - Sample testing - Quality assurance

ADVANTAGES

Digital control, data handling, and application-focused measurement versus basic instruments

ORDERING INFORMATION

Quote the reference KR-236 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-237

Automatic Fiber Analyzer (BK-F5800)

Automatic Fiber Analyzer (BK-F5800) delivers reliable analytical measurement for laboratory testing, quality control, research, and process development.

TECHNICAL SPECIFICATIONS

Sample Capacity	1-24 samples
Temp Range	Room temperature-100°C
Sampling Amount	0.5-1.5g/bag
Adding Method	Automatic (5 reagent types)
Fiber Test Range	0.1-100%
Temp Control Accuracy	±0.2°C
Display	16-bit true-color touch screen
Standard Accessories	300 filter bags, sealer, marking pens

APPLICATIONS

Chemical analysis - Quality control - Research - Environmental testing - Pharmaceutical testing

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic laboratories

TYPICAL USE CASES

Routine analysis - Method development - Sample testing - Quality assurance

ADVANTAGES

Digital control, data handling, and application-focused measurement versus basic instruments

ORDERING INFORMATION

Quote the reference KR-237 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-238

Hot Air Sterilizer (BJPX-SH Series)

Hot Air Sterilizer (BJPX-SH Series) provides controlled steam sterilization for laboratories, healthcare facilities, instruments, and glassware.

TECHNICAL SPECIFICATIONS

Capacity	23L, 55L, 88L, 105L, 140L, 200L
Temp Range	RT+10-250°C
Temp Fluctuation	±3°C
Temp Uniformity	±5°C
Chamber Material	201 stainless steel
Shelf Quantity	2 (standard)
Consumption	600W to 2300W

APPLICATIONS

Instrument sterilization - Laboratory sterilization - Healthcare - Dental and veterinary applications

INDUSTRIES

Hospitals - Dental clinics - Laboratories - Veterinary - Pharmaceuticals

TYPICAL USE CASES

Sterilizing instruments - Packaged loads - Glassware - Textiles and laboratory materials

ADVANTAGES

Programmable vacuum and sterilization cycles versus basic non-vacuum sterilizers

ORDERING INFORMATION

Quote the reference KR-238 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-239

Muffle Furnace (MC Series)

Muffle Furnace (MC Series) delivers programmable thermal processing for heat treatment, calcination, sintering, and research.

TECHNICAL SPECIFICATIONS

Max Temperature	1200°C
Capacity	2L, 7L, 16L
Temp Accuracy	±1°C
Heating Time	<=30min (empty)
Chamber Material	Ceramic liner
Power	1.5KW, 3KW, 6KW

APPLICATIONS

Calcination - Sintering - Annealing - Heat treatment - Ceramics - Battery materials

INDUSTRIES

Materials - Metals - Ceramics - Batteries - Pharmaceuticals - Academia

TYPICAL USE CASES

Powder processing - Catalyst treatment - Thermal cycling - Materials development

ADVANTAGES

Programmable temperature control and configurable heating versus basic laboratory furnaces

ORDERING INFORMATION

Quote the reference KR-239 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-240

Vacuum Atmosphere Furnace (MXV7-11TP)

Vacuum Atmosphere Furnace (MXV7-11TP) delivers programmable thermal processing for heat treatment, calcination, sintering, and research.

TECHNICAL SPECIFICATIONS

Max Temperature	1100°C
Capacity	7.2L
Chamber Material	310S stainless steel
Temperature Control	PID, 30 programs
Vacuum Capacity	-0.1 MPa
Flow Meter Range	0.6-6 L/min
Power	10kW

APPLICATIONS

Calcination - Sintering - Annealing - Heat treatment - Ceramics - Battery materials

INDUSTRIES

Materials - Metals - Ceramics - Batteries - Pharmaceuticals - Academia

TYPICAL USE CASES

Powder processing - Catalyst treatment - Thermal cycling - Materials development

ADVANTAGES

Programmable temperature control and configurable heating versus basic laboratory furnaces

ORDERING INFORMATION

Quote the reference KR-240 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT

REF KR-241

Ultrasonic Cleaner (UC-VAD Series)

Ultrasonic Cleaner (UC-VAD Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Capacity	6.5L to 30L
Frequency	Dual (28/40 kHz)
Ultrasonic Power	180W to 600W
Heating Power	500W
Temp Range	RT-80°C
Timing Range	1-99min
Tank Material	304 stainless steel

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-241 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-242

Homogenizer (BFH-01/02 Series)

Homogenizer (BFH-01/02 Series) improves laboratory sample preparation, processing, mixing, extraction, drying, or biological research workflows.

TECHNICAL SPECIFICATIONS

Flapping Speed	3-12 times/s
Capacity	3-400ml
Flapping Time	0.1s-99min59s
Program Setting	10-segment combination
Disinfection	UV lamp (253.7nm)
Sterile Bag	17×30cm (100pcs standard)

APPLICATIONS

Sample preparation - Formulation - Extraction - Cell processing - Materials research

INDUSTRIES

Pharmaceuticals - Biotechnology - Food - Chemicals - Academic research

TYPICAL USE CASES

Sample processing - Formulation development - Extraction - Laboratory-scale production

ADVANTAGES

Controlled operation and repeatability versus basic manual laboratory processing

ORDERING INFORMATION

Quote the reference KR-242 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

LABORATORY EQUIPMENT REF KR-243

Dehumidifier (BKDH-820E/830E Series)

Dehumidifier (BKDH-820E/830E Series) is designed for reliable laboratory measurement, research, quality control, and process-development applications.

TECHNICAL SPECIFICATIONS

Capacity	20L/24H or 30L/24H
Humidity Range	40-90% RH
Air Circulation	280-310 m3/h
Refrigerant	R134A
Water Tank	5.1L
Timing	1-24 hours

APPLICATIONS

Laboratory testing - Research - Quality control - Process development

INDUSTRIES

Pharmaceuticals - Chemicals - Food - Environmental - Academic research

TYPICAL USE CASES

Routine testing - Sample analysis - Method development - R&D

ADVANTAGES

Application-focused design and digital operation versus basic conventional equipment

ORDERING INFORMATION

Quote the reference KR-243 when enquiring. Configurations, wetted materials, port layouts and control options are confirmed on the quotation; final values appear on the equipment nameplate and test certificate.

Request a quote: www.krivalis.com/contact.php | View online: www.krivalis.com/products/lab

How to specify and order

The fastest route to a usable quotation is a short, specific enquiry. The checklist below is what our engineers ask before proposing a configuration.

WHAT TO SPECIFY

- The routine task the instrument must perform, not only its headline spec.
- Throughput per day and the operator skill level available.
- Consumables and spare parts that will be needed every year.
- Footprint, bench height and ventilation requirements.
- Electrical supply stability and any need for a UPS.
- Warranty terms, response time and local service coverage.

DOCUMENTATION AND SUPPORT

- Test certificates, material traceability and calibration records with the equipment.
- Installation, commissioning and operator training through Krivalis or the local dealer.
- Spare parts, seals and consumables held for the life of the equipment.
- Service support by phone, email and remote access, with on-site visits where required.

CONTACT

Email	sales@krivalis.com
Phone	+91-74000-43303
Website	www.krivalis.com
Address	2306, T3, Runwal, LBS Marg, Kanjurmarg West, Mumbai 400078, India
Legal entity	Kriva Medical & Lab Instruments, Mumbai, India

Krivalis supplies laboratory, analytical and process equipment to research laboratories, universities, pharmaceutical companies and industry in more than 120 countries. Product brochures, buying guides and specifications are available at www.krivalis.com.